



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX.

A.

- Abbot, Ezra, notice of, 487.
 Acetic anhydride, action of, 227.
 on curcumin, 211.
 Acid, acrylic, 268.
 apoturmeric, 220.
 β -bromdichloracrylic, 291.
 β -bromtetrachlorpropionic, 279.
 α -chlordibromacrylic, 281.
 β -chlordibromacrylic, 285.
 β -dibromdichlorpropionic, 289.
 mucobromic, 268.
 mucophenoxybromic, 262, 268.
 nitric, action of, 227.
 orthoiodtoluolsulphonic, 293.
 phenoxybromacrylic, 264.
 phenoxybrommaleic, 267.
 turmeric, 217.
 Acids, α - and β -chlordibromacrylic, 281.
 β -dibromdichlorpropionic and β -bromdichloracrylic, 289.
 Aciphyllæa, DC., 40.
 Acrylic acid, 268.
 Actinella, Pers., Nutt., 31.
 acaulis, Nutt., 32.
 anthemoides, Gray, 32.
 argentea, Gray, 32.
 biennis, Gray, 33.
 Bigelovii, Gray, 34.
 Brandegei, T. C. Porter, 32.
 chrysanthemoides, HBK., 32.
 Cooperi, Gray, 33.
 depressa, Torr. & Gray, 32.
 grandiflora, Torr. & Gray, 32.
 heterophylla, Juss., 32.
 insignis, 31, 32.
 leptoclada, Gray, 32.
 linearifolia, Torr. & Gray, 32.
 odorata, Gray, 33.
 Palmeri, 31.
 Richardsonii, Nutt., 33.
 Actinella Rusbyi, 33.
 scaposa, Nutt., 32.
 Vaseyi, Gray, 33.
 Actinolepis, 24.
 Adenophyllum, Pers., 36.
 Alexander, Stephen, notice of, 504.
 Alloseris, 60.
 Amblyopappus, Hook. & Arn., 25.
 Aniline, action of phosphorous trichloride on, 223.
 action of heat on the original product, 225.
 action of an excess of, on the original product, 228.
 properties, 229.
 substance melting at 208°, 228.
 substance melting at 150°, 229.
 Anthemideæ, 48.
 Ants, the fossil white, of Colorado, 133.
 Aplopappus monactis, 1.
 Apoturmeric acid, 220.
 properties, 221.
 Argentie β -bromdichloracrylate, 292.
 α -chlordibromacrylate, 285.
 phenoxybromacrylate, 266.
 phenoxybrommaleate, 267.
 Arnica Nevadensis, 55.
 Sachalinensis, 55.
 Artemisia, 49.
 angustifolia, 49.
 arbuscula, Nutt., 48.
 Bolanderi, 49.
 cana, Pursh, 49, 50.
 franserioides, E. L. Greene, 48.
 Klotzschiana, Bess., 48.
 Palmeri, Gray, 49.
 Parishii, Gray, 49.
 rigida, 49.
 Rothrockii, Gray, 50.
 tridentata, Nutt., 49.
 trifida, Nutt., 50.
 Wrightii, 48.

- Ascensions, mean right, of 133 stars near the north pole, observed in 1882 and 1883, at the Field Memorial Observatory of Williams College, 324.
- Asclepiadaceæ, 85.
- Asclepias Curtissii, 85.
Lemmoni, 85.
- Asteroidæ, 1.
- Astragalus bicristatus, 75.
drepanolobus, 75.
Parishii, 75.
Rattani, 75.
Reverchoni, Gray, 74.
speirocarpus, Gray, 75.
- Auroral bands, 166.
light, 167:
- B.
- Baeria, Fisch. & Meyer, 20, 21.
affinis, 23.
carnosa, Greene, 22.
chrysostoma, Fisch. & Mey., 21.
Clevelandi, 22.
coronaria, 23.
curta, 21.
Fremonti, Gray, 22.
gracilis, Gray, 21.
macrantha, 21.
maritima, Gray, 22.
mutica, 23.
Palmeri, Gray, 22.
platycarpha, Gray, 22.
tenella, 23.
tenera, 22.
uliginosa, Gray, 22.
- Bahia, Lagasca, 22, 26.
absinthifolia, Benth., 27.
ambrosioides, Lag., 27.
anthemoides, Gray, 27.
Bigelovii, Gray, 27.
biternata, Gray, 28.
chrysanthemoides, 28.
Gilliesii, 28.
Neo-Mexicana, 27.
nudicaulis, 27.
oblongifolia, 27.
oppositifolia, Nutt., 27.
pedata, Gray, 28.
schkuhrioides, 27.
sinuata, Less., 26.
Woodhousei, 28.
- Baric β -bromdichloracrylate, 291.
 α -chlordibromacrylate, 283.
- Baric β -chlordibromacrylate, 287.
mucophenoxybromate, 264.
orthoiodtoluolsulphonate, 294.
phenoxybromacrylate, 265.
- Barrande, Joachim, notice of, 539.
- Bidens dondiæfolia, Less., 16.
heterophylla, Ort., 15.
leucantha, Willd., 16.
procera, Don, 16.
Seemanni, Schultz Bip., 16.
- Bœbera, DC., 39.
- Bœberastrum, 39.
- Borraginaceæ, 89.
- Botany, North American, contributions to, 1.
- β -Bromdichloracrylate, argentic, 292.
baric, 291.
calcic, 292.
potassic, 292.
- β -Bromdichloracrylic acid, 291.
- β -Bromtetrachlorpropionic acid, on, 279.
- Buchnera Americana, L., 93.
disticha, HBK., 94.
elongata, Swartz, 93.
Mexicana, Hemsl., 94.
obliqua, Benth., 93.
pilosa, Benth., 92, 93.
- Buddleia Pringlei, 86.
- C.
- Cacalia, L., 51.
aconitifolia, Miq., 51.
atriplicifolia, L., 51.
cerviariæfolia, DC., 52.
Chiapensis, 53.
cirsiifolia, Hook. & Arn., 53.
cordifolia, HBK., 53.
decomposita, Gray, 52.
discolor, Grisebach, 54.
diversifolia, Torr. & Gray, 51.
Floridana, 52.
hastata, L., 51.
lanceolata, Nutt., 52.
ovata, Ell., 52.
pachyphylla, Schultz Bip., 52.
parasitica, Schultz Bip., 53.
peltata, HBK., 52.
penduliflora, 53.
prenanthoides, HBK., 53.
reniformis, Muhl., 51.
runcinata, HBK., 54.
Schaffneri, 53.
sinuata, Llav. & Lex., DC., 52.

- Cacalia suaveolens*, L., 51.
 tabularis, 52.
 tuberosa, Nutt., 52.
Cacaliopsis Nardosmia, 50.
Calais, 64.
Calcic β -bromdichloracrylate, 292.
 α -chlordibromacrylate, 284.
 β -chlordibromacrylate, 287.
 β -dibromdichlorpropionate, 290.
 orthoiodtoluolsulphonate, 294.
 phenoxybromacrylate, 266.
 turmerate, 218.
Callirrhoe lineariloba, 74.
Caprifoliaceæ, 76.
Castilleia cinerea, 93.
 plagiotoma, 93.
 Central canal, reduction of the, in
 the pig, 106.
 literature, 106.
 observations, 106.
Chaenactis Fremonti, 30.
 Nevii, 30.
 thysanocarpha, 30.
 α -Chlordibromacrylate, argentic, 285.
 baric, 283.
 calcic, 284.
 potassic, 284.
 β -Chlordibromacrylate, *baric*, 287.
 calcic, 287.
 potassic, 288.
 α -Chlordibromacrylic acid, 281.
 cystalline form of, 282.
 β -Chlordibromacrylic acid, 285.
 α - and β -Chlordibromacrylic acids,
 on, 281.
 constitution of, 288.
Chorisma, Don, 73.
Cichoriaceæ, 59.
Clappia suædæfolia, Gray, 18.
Cnicus, L., 56.
 altissimus, Willd., 57.
 Americanus, 56.
 discolor, 57.
 Eatoni, 56.
 filipendulus, 57.
 foliosus, Gray, 56.
 Grahami, 57.
 Hallii, 56.
 Kamtschaticus, Maxim., 56.
 ochrocentus, 57.
 Rothrockii, 56.
 Wheeleri, 56.
 Coefficients of volume, table of, 437.
 Cohesion, a new theory of, applied
 to the thermodynamics of
 liquids and solids, 353.
- Cologania Lemmoni*, 74.
 Communications.
 William Barnes, 97.
 Henry Draper, 231.
 Asa Gray, 1.
 Henry B. Hill, 262.
 C. Loring Jackson, 211, 222.
 Charles F. Mabery, 279.
 A. E. Menke, 211, 222.
 Edward C. Pickering, 269, 296.
 Truman Henry Safford, 324.
 Arthur Searle, 146, 310.
 Samuel H. Scudder, 133.
 Edward K. Stevens, 262.
 Albert H. Tuttle, 111.
 Harold Whiting, 353.
 Compositæ, new, with revisions of
 certain genera, and critical
 notes, characters of, 1.
 Convolvulaceæ, 90.
Cordylanthus, 95.
 Orcuttianus, 95.
 Pringlei, 94.
Coreopsis anthemoides, DC., 15.
 Schaffneri, 15.
Cracca sericea, 74.
Crusea, Cham., 77.
 allococca, 78.
 subulata, 78.
Curcumin, 211.
 action of acetic anhydride on,
 211.
 action of phosphoric oxychloride
 on, 213.
 formula, 214.
Cynaroideæ, 56.
- D.
- Diacetylcurcumin*, 212.
 properties, 213.
 β -Dibromdichlorpropionate,
 calcic, 290.
 potassic, 290.
 β -Dibromdichlorpropionic acid, 289.
 β -Dibromdichlorpropionic and β -
 bromdichloracrylic acids, on,
 289.
Dichæta, 22.
Diodia lippoides, Griseb., 79.
 simplex, Swartz, 79.
 Distillate, the, obtained from the
 ether extract with steam,
 study of, 217.
 Distillation with steam, study of the
 residue from, 219.

- Dithrix, 18.
 Dumas, Jean-Baptiste-André, notice of, 545.
- Dysodia, Cav., 35, 36, 37.
 anthemidifolia, Benth., 40.
 appendiculata, Lag., 38.
 cancellata, 38.
 chrysanthemoides, Lag., 39.
 Cooperi, Gray, 39.
 grandiflora, DC., 37.
 integrifolia, 37.
 montana, 38.
 porophylla, Cav., 38.
 porophylloides, Gray, 39.
 pubescens, Lag., 39.
 sessilifolia, DC., 37.
 speciosa, Gray, 38.
 squamosa, 38.
 tagetiflora, Lag., 39.
- Dysodiopsis, Gray, 40.
- E.
- Eatonella, 19.
 Congdoni, 20.
 nivea, 19.
- Echidiocarya ursina, 90.
- Electra, DC., 15.
- Ellis, Calvin, notice of, 492.
- Encelia, 7.
 calva, 8.
 exaristata, 8.
 Ghiesbreghtii, Gray, 9.
 halimifolia, Cav., 8.
 heterophylla, Hemsley, 9.
 lagascaeformis, 9.
 Mexicana, Mart., 8.
 microphylla, Gray, 7.
 scaposa, 7.
 stenophylla, E. L. Greene, 8.
 subaristata, Gray, 8.
- Engelmann, George, notice of, 516.
- Epsilon and its derivatives, table for, 436.
- Ericaceæ, 84.
- Erigeron Arizonicus, 2.
 Lemmoni, 2.
 Neo-Mexicanus, 2.
 Oreganus, 2.
- Eriophyllum, Lagasca, 22, 24.
 ambiguum, 26.
 cæspitosum, Dougl., 26.
- Eriophyllum confertiflorum, 25.
 gracile, 26.
 lanosum, 25.
 multicaule, 24.
 nubigenum, Greene, 25.
 Pringlei, 25.
 stæchadifolium, Lag., 25.
 Wallacei, 25.
 Watsoni, 26.
- Eritrichium Cooperi, 89.
 micromeres, 90.
 molle, 89.
 oxygonum, 89.
- Errors, probability of, table of the, 434.
 logarithmic probability of, table of the, 435.
- Ether extract with steam, study of the distillate obtained from, 217.
- Euactinella, 32.
- Eubaeria, 21.
- Eudysodia, 37.
- Euhymenatherum, 40.
- Eupatoriaceæ, 1.
- Eupectis, 44, 45.
- Eustachian tube to the first visceral cleft, relation of the external meatus, tympanum, and, 111.
- Eutermes, Heer, 143.
 fossarum, 143.
 Meadii, 144.
- Eutroximon, 71.
- Evening observations: Eylert, 197.
 Heis, 192.
 Jones, 183.
 Neumayer, 197.
 Schmidt, 198.
 Weber, 195.
- External meatus, tympanum, and Eustachian tube, to the first visceral cleft, relation of the, 111.
 bibliography, 130.
 explanation of figures, 132.
 explanation of letters, 131.
 historical synopsis, 111.
 observations and conclusions, 121.
 recapitulation, 127.
- Expansion for 0° Centigrade, principal argument in terms of the, 454.
- Eylert, evening observations, 179.

F.

Fellows deceased.

- Ezra Abbot, 487.
- Calvin Ellis, 492.
- Evangelinus A. Sophocles, 502.

Fellows elected.

- Joseph Thatcher Clarke, 477.
- George Basil Dixwell, 468.
- Arthur Michael, 471.
- Oliver Clinton Wendell, 477.

Fellows, List of, 571.

Fellows, Associate, deceased.

- Stephen Alexander, 504.
- John Lawrence Le Conte, 511.
- George Engelmann, 516.
- Arnold Guyot, 522.
- Andrew A. Humphreys, 526.
- William A. Norton, 530.
- J. Lawrence Smith, 535.

Fellows, Associate, elected.

- Atticus Greene Haygood, 468.
- John William Mallet, 468.
- Ira Remsen, 471.

Fellows, Associate, List of, 574.

Filago depressa, 3.

Flaveria chloræfolia, Gray, 35.

Flourensia cernua, DC., 7.

Foreign Honorary Members deceased.

- Joachim Barrande, 539.
- J. B. A. Dumas, 545.
- Oswald Heer, 556.
- F. A. A. Mignet, 559.
- Sir Edward Sabine, 560.
- Johann F. J. Schmidt, 564.
- Gabriel Gustav Valentin, 567.
- Charles Adolphe Wurtz, 568.

Foreign Honorary Members elected.

- Charles Hermite, 472.
- Charles Adolphe Wurtz, 468.

Foreign Honorary Members, List of, 576.

Fossil white ants of Colorado, the, 133.

G.

Gaillardia comosa, 34.

Mexicana, 34.

Galium, 80.

- Arkansanum, 80.
- Bolanderi, Gray, 80.
- Kamtschaticum, Steller, 80.
- Matthewsii, 80.
- Texense, 80.

Gaultheria, 84.

- myrsinites, Hook., 84.
- ovatifolia, 85.

Genera and species, miscellaneous, 74.

Gentiana Bigelovii, 87.

Forwoodii, 86.

Gentianaceæ, 86.

Gnaphalium Arizonicum, 3.

- attenuatum, DC., 4.
- Bourgovii, 3.
- brachypterum, DC., 4.
- inornatum, DC., 3.
- oxyphyllum, DC., 3.
- pannosum, 3.

Gochnatia glomeriflora, 57.

hypoleuca, 57.

Greenella Arizonica, 2.

discoidea, 2.

Guyot, Arnold, notice of, 522.

Gymnolæna, DC., 37.

Gymnolomia encelioides, 4.

ovata, 4.

platylepis, 5.

H.

Hamulium, DC., 14.

Heer, Oswald, notice of, 556.

Heis, evening observations, 192.

Helenioideæ, 18.

Helenium Thurberi, 32.

Helianthella argophylla, 9.

enceliopsis, 9.

nudicaulis, 9.

proper, 9.

Helianthoideæ, 4.

Helianthus Parishii, 7.

Hemiptilium, Gray, 63.

Hemizonia paniculata, 17.

Wrightii, 17.

Herschel, Sir William, observations of variable stars, 269.

Hieracium, 65, 66.

abscissum, Less., 70.

albiflorum, Hook., 67.

argutum, Nutt., 67.

Bolanderi, Gray, 68.

carneum, Greene, 69.

crepidispermum, Fries, 70.

cynoglossoides, Arvet-Touvet, 68.

discolor, 69.

Fendleri, Schultz Bip., 69.

gracile, Hook., 66.

- Hieracium Greenei*, 69.
horridum, Fries, 66.
Lemmoni, Gray, 70.
Mexicanum, Less., 70.
? *Mogollense*, 69.
nudicaule, 68.
Parishii, 67.
Pringlei, 69.
Rusbyi, Greene, 67.
Scouleri, Hook., 66.
triste, Cham., 66.
Wrightii, 68.
Hodotermes, Hagen, 142.
? *Coloradensis*, 142.
Humphreys, Andrew Atkinson, notice of, 526.
Hydrophyllaceæ, 87.
Hymenatherum, Cass., 36, 40.
acerosum, Gray, 40.
aureum, 42.
Belenidium, DC., 41.
diffusum, Gray, 40.
gnaphaliopsis, Gray, 42.
Greggii, 42.
Hartwegi, Gray, 41.
Næi, DC., 41.
Neo-Mexicanum, 40.
pentachætum, DC., 42.
polychætum, Gray, 40.
setifolium, 42.
tagetoides, Gray, 40.
tenuifolium, Cass., 40.
tenuilobum, DC., 41.
Thurberi, 41.
Tréculii, 42.
Wrightii, Gray, 41.
Hymenopappus
artemisiæfolius, DC., 29.
corymbosus, Torr. & Gray, 29.
filifolius, Hook., 29.
Mexicanus, 29.
scabiosæus, L'Her., 29.
tenuifolius, 29.
Hymenoxys, 32.

I.

- Inuloideæ*, 3.
Ipomœa cuneifolia, 90.
Lemmoni, 91.
tenuiloba, Torr., 91.
Thurberi, Gray, 90.
Ixeris, Cass., 73.

J.

- Jones, evening observations, 183.

L.

- Labiataæ*, 96.
Lactuca, 72.
acuminata, 73.
Canadensis, L., 72.
Floridana, 73.
graminifolia, 73.
hirsuta, Muhl. & Nutt., 73.
integrifolia, Bigelow, 73.
leucophæa, 73.
Ludoviciana, DC., 73.
pulchella, DC., 73.
Lactucastrum, 73.
Laphamia, 18.
Layia Douglasii, Hook. & Arn., 17.
Jonesii, 18.
Le Conte, John Lawrence, notice of, 511.
Leguminosæ, 74.
Lentibulariaceæ, 95.
Lepidospartum squamatum, 50.
leptocephalæ, DC., 43.
Liquids and solids, a new theory of cohesion applied to the thermodynamics of, 353.
Liquids, expansion of, according to Thorpe, 452.
Lobeliaceæ, 82.
Loeselia Havardi, 87.
Loganiaceæ, 86.
Longitude of zenith, for stations in north latitude, 179.
for stations in south latitude, 182.
Lonicera Sullivantii, 76.

M.

- Machaonia fasciculata*, 77.
Macrocephalæ, DC., 42.
Macrorhynchus, 71.
Madieæ, 17.
Malvaceæ, 74.
Margaranthus Lemmoni, 91.
Meatus, external, relation of, to the first visceral cleft, 111.
Mendelejeff's formula, comparison of, with the mean results of Kopp and Pierre, 453.

Metastelma Arizonicum, 85.
 Meteoric theory of the zodiacal light, 323.
 Microseris, Don, 64.
 Bolanderi, 64.
 laciniata, 64.
 leptosephala, 64.
 procera, 64.
 Mignet, F. A. A., notice of, 559.
 Milky Way, brightness of the, 156.
 Mimosa Lemmoni, 76.
 Monaceturcumin, 211.
 properties, 212.
 Monardella Pringlei, 96.
 Monolopia gracilens, 20.
 Moon, the, phases of, 310.
 Mucobromic acid, 262-268.
 Mucophenoxybromate, baric, 264.
 potassic, 263.
 Mucophenoxybromic acid, 262, 268.
 Mutisiaceæ, 57.

N.

Neumayer, evening observations, 197.
 Nitric acid, action of, 227.
 Nodocarpæa, 79.
 radicans, 79.
 North pole, mean right ascensions of 133 stars near the, 324.
 North pole of ecliptic, azimuth of, from north through west, for stations in north latitude, 178; in south latitude, 181.
 hour angle of, 177.
 zenith distance of, for stations in north latitude, 177; in south latitude, 180.
 Norton, William Augustus, notice of, 530.
 Nothocalais, 65.

O.

Oldenlandia Greenei, 77.
 Orthocarpus imbricatus, Torr., 94.
 linearifolius, Benth., 95.
 pachystachyus, Gray, 95.
 Orthoiodtoluolsulphonate, baric, 294.
 calcic, 294.
 plumbic, 294.
 Orthoiodtoluolsulphonic acid, 293.
 Oyedæa Seemanni, 10.

P.

Palafoxia Feayi, Gray, 31.
 latifolia, DC., 31.
 linearis, Lag., 31.
 Pappothrix, 18.
 Parishella, 82.
 Californica, 84.
 Parotermes, 135.
 fodinæ, 141.
 Hagenii, 139.
 insignis, 137.
 Pectidiformes, DC., 42.
 Pectidium, 45, 48.
 Pectis, 43.
 angustifolia, Torr., 46.
 Berlandieri, DC., 46.
 Bonplandiana, HBK., 46.
 canescens, HBK., 47.
 capillaris, DC., 46.
 diffusa, Hook. & Arn., 47.
 elongata, HBK., 48.
 fasciculiflora, DC., 45.
 holostemma, 46.
 Jaliscana, Hook. & Arn., 46.
 Liebmanni, Schultz Bip., 47.
 prostrata, Cav., 45.
 tenella, DC., 46.
 uniaristata, DC., 46.
 Pectothrix, 44, 47.
 Pentstemon cæsius, 92.
 rubescens, 92.
 Perezia, Lag., 58.
 adnata, 60.
 carpholepis, 60.
 Coulteri, Gray, 59.
 Dugesii, 60.
 formosa, 58.
 fruticosa, Llav. & Lex., 60.
 hebeclada, Gray, 59.
 Humboldtii, Gray, 59.
 microcephala, Gray, 59.
 Moschato, Llav. & Lex., 58.
 nana, Gray, 58.
 nudicaulis, Gray, 58.
 oxylepis, Gray, 59.
 Parryi, Gray, 58.
 patens, Gray, 60.
 platyphylla, Gray, 60.
 reticulata, Gray, 60.
 rigida, Gray, 60.
 runcinata, Lag., 58.
 Seemanni, Gray, 59.
 Thurberi, Gray, 59.
 thyrsoidæa, Gray, 58.
 turbinata, Llav. & Lex., 58.

- Perezia Wislizeni*, Gray, 58.
 Wrightii, Gray, 60.
Perityle, 18, 19.
Phacelia Orcuttiana, 88.
 pachyphylla, 88.
 Parishii, 88.
 Popei, Torr. & Gray, 87.
 Phases of the Moon, 310.
Phenoxybromacrylic acid, 264.
Phenoxybromacrylate, argentic, 266.
 baric, 265.
 calcic, 266.
 potassic, 265.
Phenoxybrommaleic acid, 267.
Phosphorous anilid, 226.
 properties, 227.
Phosphorous trichloride, action of,
 on aniline, 222.
Phosphoric oxychloride, action of,
 on curcumin, 213.
 Photography of planetary and stellar
 spectra, researches upon the,
 231.
 Pig, on the development of the pos-
 terior fissure of the spinal
 cord, and the reduction of
 the central canal, in the, 97.
Plateilema, 31.
Platypteris, DC., 14.
Plectritis, Lindl., 83.
Plumbic orthioditoluolsulphonate,
 294.
Polemoniaceæ, 87.
Polypteris, Nutt., 30.
 Posterior fissure of the spinal cord
 in the pig, 97.
 literature, 97.
 material, 101.
 observations, 101.
 résumé, 107.
 table of measurements, 108.
 explanation of table, 108.
 explanation of plates, 109.
Porophyllum coloratum, DC., 36.
 Ervendbergii, 35.
 filifolium, 35.
 gracile, Benth., 36.
 Linaria, DC., 36.
 obtusifolium, DC., 35.
 Seemanni, Schultz Bip., 35.
 suffruticosum, 36.
 viridiflorum, DC., 35.
Potassic β -bromdichloracrylate, 292.
 α -chlordibromacrylate, 284.
 β -chlordibromacrylate, 288.
 β -dibromdichloropropionate, 290.
Potassic mucophenoxybromate, 263.
 phenoxybromacrylate, 265.
 Principal argument, absolute criti-
 cal temperature in terms of
 the, 455.
 in terms of the expansion for 0°
 Centigrade, 454.
 variation of the, with the tem-
 perature, 459.
 Probability of errors, table of the,
 434.
 table of the logarithmic, 435.
Psathyrotes pilifera, 50.
Pterophyton, Torr. & Gray, 12.
Ptilomeris, 23.
- R.
- Rowland, Professor, presentation of
 Rumford Medal to, 478.
Rubiaceæ, 77.
 Rumford Medal, presentation of, to
 Professor Rowland, 478.
- S.
- Sabine, Sir Edward, notice of, 560.
Sambucus melanocarpa, 76.
Saracha umbellata, DC., 91.
Sartwellia Mexicana, 34.
Schkuhria, Roth., 27.
 Schmidt, evening observations, 198.
 Schmidt, J. F. J., notice of, 564.
Scrophulariaceæ, 92.
Senecio, 54.
 aureus, L., 55.
 cardamine, Greene, 54.
 Clevelandi, Greene, 54.
 crassulus, 54.
 Hartwegi, Benth., 54.
 Huachucanus, 54.
 lobatus, Pers., 55.
 Madrensis, 55.
 Neo-Mexicanus, 55.
 petraeus, Klatt, 54.
 rugelia, 54.
 salignus, DC., 55.
 werneriaefolius, 54.
 Whippleanus, 54.
Senecionideæ, 50.
Silphium albiflorum, 4.
Siphonella, Krok, 82.
 Smith, J. Lawrence, notice of, 535.
Solanaceæ, 91.

Sophocles, Evangelinus Apostolides, notice of, 502.
 Spectra, planetary and stellar, researches upon the photography of, 231.
 Spermacoe Domingensis, 79.
 richardsonioides, Wright, 79.
 rubricaulis, 79.
 Standard time, report of the committee on, 473.
 Stephanomeria, Nutt., 59.
 cichoriacea, Gray, 61.
 elata, Nutt., 62.
 exigua, Nutt., 63.
 latucina, Gray, 62.
 minor, Nutt., 62.
 myrioclada, Eaton, 62.
 paniculata, Nutt., 63.
 Parryi, 61.
 pentachæta, Eaton, 63.
 proper, 61.
 runcinata, Nutt., 62.
 Schottii, Gray, 63.
 Thurberi, Gray, 62.
 virgata, Benth., 63.
 Wrightii, 62.
 Stevia amabilis, Lemmon, 1.
 Syntrichopappus Lemmoni, 20.

T.

Tagetes, Tourn., 38, 42.
 coronopifolia, Willd., 44.
 elliptica, Smith, 43.
 filifolia, Lag., 44.
 foetidissima, DC., 43.
 Lemmoni, 40, 42.
 lucida, Cav., 42.
 micrantha, Cav., 44.
 Parryi, Gray, 42.
 patula, L., 43.
 pauciloba, DC., 43.
 subulata, Llav. & Lex., 43.
 subvillosa, Lag., 43.
 tenuifolia, Cav., 43.
 Zypaquirensis, Humb. & Bonpl., 43.
 Temperatures, critical, 460.
 Thelesperma ambiguum, 16.
 Thermodynamics of liquids and solids, a new theory of cohesion applied to the, 353.
 Thymophylla, 42.
 Tithonia diversifolia, 5.
 Trichophyllum, 25.

Troximon, Nutt., Benth. & Hook., 71.
 alpestre, 70, 71.
 apargioides, Less., 72.
 aurantiacum, Hook., 71.
 cuspidatum, Pursh, 71.
 glaucum, Nutt., Pursh, 71.
 gracilens, 71, 72.
 grandiflorum, Gray, 72.
 ? Greenei, 71.
 heterophyllum, 72.
 humile, 72.
 laciniatum, 72.
 Nuttallii, Gray, 72.
 retrosum, Gray, 72.
 Turmeric, on certain substances obtained from, 211.
 Turmeric acid, 217.
 properties, 218.
 Turmerol, 215.
 Study of the distillate obtained from the ether extract with steam, 217.
 Study of the residue from distillation with steam, 219.
 Tympanum, relation of, to the first visceral cleft, 111.

U.

Utricularia occidentalis, 95.

V.

Valentin, Gabriel Gustav, notice of, 567.
 Valeriana Arizonica, 81.
 sorbifolia, HBK., 81.
 Valerianaceæ, 81.
 Valerianella, 81.
 amarella, Krok, 82.
 anomala, 83.
 aphanoptera, 83.
 chenopodifolia, DC., 82.
 congesta, Lindl., 83.
 longiflora, Walp., 82.
 macrocera, 83.
 Nuttallii, Walp., 82.
 olitoria, Pollich., 81.
 radiata, Dufresne, 82.
 samolifolia, 83.
 stenocarpa, Krok, 82.
 Woodsiana, Walp., Krok, 82.

- Variable stars, recent observations of, 296.
 Sir William Herschel's observations of, 269.
Verbena Arizonica, 95.
Verbenaceæ, 95.
Verbesina, L., 11.
 alata, L., 14.
 ancistrophora, 14.
 Capitaneja, Nees, 13.
 Coahuilensis, 14.
 Coulteri, 13.
 crocata, Less., DC., 14.
 encelioides, Benth. & Hook., 14.
 Fraseri, Hemsl., 14.
 helianthoides, Michx., 12.
 heterophylla, 12.
 hypoleuca, Gray, 13.
 longifolia, 12.
 neriifolia, Hemsley, 13.
 nudicaulis, 12.
 occidentalis, Walt., 11.
 ovata, 13.
 ovatifolia, Gray, 15.
 Palmeri, 11.
 stricta, 13.
 tetraptera, 13.
 venosa, E. L. Greene, 13.
 Virginica, L., 11.
 Warei, 12.
 Wrightii, 12.
Verbesinaria, DC., 11.
Viguiera blepharolepis, 5.
 canescens, DC., 6.
 decurrens, 5.
 Ghiesbreghtii, 6.
 helianthoides, HBK., 6.
 Peruviana, Gray, 6.
 Pœppigii, 6.
 sessilifolia, DC., 6.
- Volume, coefficients of, table of, 437.
 Volumes, table of, 438.
- W.
- Weber, evening observations, 195.
 Wurtz, Charles Adolphe, notice of, 568.
Wyethia longicaulis, 4.
- X.
- Ximinesia, 14.
- Z.
- Zenith, longitude of, for stations in north latitude, 179.
 for stations in south latitude, 182.
Zexmenia aurea, 10.
 brevifolia, Gray, 10.
 crocea, Gray, 11.
 fasciculata, Schultz Bip., 11.
 helianthoides, Gray, 11.
 hispida, 10.
 Zodiacal bands, 164.
 Zodiacal light, the, 146.
 brightness of the, 154.
 distinctness of the lower edge of the, 159.
 meteoric theory of the, 323.
 Milky Way, standard of comparison for the, 156.
 place of the, with respect to the ecliptic, 149.
 references, 147.
 relative intensity of the, 155.